

Receiving Report

Date: 9/14/27

Batch No: M113295

Supplier: MAGNA

Dart P/O: 10809

Packing Slip: Yes ☒ No ☐
 Invoice: Yes ☐ No ☒
 Receipt: Cash ☐ Cr ☒

Release Note Attached: Yes ☒ No ☐ N/A ☐
 Waybill Attached: Yes ☐ No ☒
 Shipment Complete: Yes ☒ No ☐ N/A ☐
 QC6 Inspection ☒ N/A ☐
 Work Order 021420 N/A ☒

Discrepancies

Part Number	Description	Quantity Ordered	Quantity Received	Quantity Returned	Quantity Short	Comments

Initials of receiver (if shipment OK) Level 12 [Signature]

Production/Admin: 9/14/30
 Date
 Received/Costing
 Initial [Signature]

Location

Purchase Order Receipt Listing

Page 1 of 1

November 30, 2009 7:51:48 AM

All amounts are calculated in domestic currency.

All Vendors PO ID PO10809 Receipt Dates from 11/30/2009 to 11/30/2009 All Line Item Types

All Item ID/GL/WOs All Rec. Employees All Currencies

Grouped by Vendor ID

Purchase Order ID/ Curr Type	Line Nbr/ Insp Req	Project ID	Reference/ Description/ Cert Std	PO U/M / Stock U/M	Required Date Required Qty	Recv Date/ Recv Emp	Recv Qty (PO U/M)	Cost Per Unit/ Recv Value	Inspected Qty/ Rejected Qty (PO U/M)	MRB Qty/ MRB Reject Qty	Book Amt
VendorID\Vendor Name		VC-MAG002	Magna Stainless								
PO10809	1		M304S14GA	sf	11/24/2009	11/30/2009	160.0000	\$7.50	0.0000	0	\$1,200.00
CAD	No		304SS sheet .080	sf	160.0000	Stores		\$1,200.00	0.0000	0	
			113295								
	2		M304S16GA	sf	11/24/2009	11/30/2009	320.0000	\$5.31	0.0000	0	\$1,700.00
	No		304/316 Sheet .063	sf	320.0000	Stores		\$1,700.00	0.0000	0	
			113295								
	3		M304R1.750	f	11/24/2009	11/30/2009	12.1000	\$20.58	0.0000	0	\$249.05
	No		304 ROUND BAR	f	12.0000	Stores		\$249.05	0.0000	0	
			1.750								
			113295								
	4		M303R0.750	f	11/24/2009	11/30/2009	12.1000	\$3.83	0.0000	0	\$46.38
	No		303 Round Bar 0.750	f	12.0000	Stores		\$46.38	0.0000	0	
			113295								
Total Received Quantity:											504.2000
Total Qty to Inspect (PO U/M):											0.0000
Total Reject Quantity:											0.0000
Total Receipt Value:											\$3,195.44
Total Balance Due Quantity:											0.0000



Magna Stainless

5775 Kieran St, Saint-Laurent, Quebec H4S 0A3
Phone: (514) 339-1211 Watts: 1-800-363-6646 Fax: (514) 339-1105



PACKING LIST

Page 1 of 1

I020078

SOLD TO
DART AEROSPACE LTD
1270 ABERDEEN STREET

SHIP TO:
DART AEROSPACE LTD
1270 ABERDEEN STREET

HAWKESBURY, ON
K6A 1K7
Contact: CHANTAL

HAWKESBURY, ON
K6A 1K7
Ship Terms: PREPAID

MTR:Y

SPECIAL INSTRUCTIONS

Currency	Sales Person	Customer Phone	Customer Fax	Customer PO	
CANADIAN DOLLARS	ERYCK BLAIS	(613) 632-5200	(613) 632-1053	P010809	
Sales Order	Terms	Ship Via	Date Ordered	Date Required	Date Shipped
W021806	NET 30 DAYS	NIR:R-557065-1	11/20/09	11/27/09	11/27/09

Ordered	Back Ordered	Unit	Description	Bundle #	Heat #	Shipped
1		PC	STAINLESS ROUNDS SRB 304 1-3/4" x R/L			1
1		PC	12'10" 100 LB / 1 PC SRB 303 3/4" x R/L	L029520	79354	1
			12'1" 20 LB / 1 PC	L031096	423312	1
5		PC	STAINLESS SHEET SSH 304 2B 14ga x 48" x 96"			5
			525 LB / 5 PC	C030389	829393	5
10		PC	MUST USE HT # 829393 SSH 304 2B 16ga x 48" x 96"			10
			840 LB / 10 PC	A030388	829394	10
Bundles: 1 Skids: 1			Approx Weight:			1,485 LB

Received by: _____ Date: _____ Signature: _____

VIRAJ PROFILES LIMITED

10 IMPERIAL CHAMBERS, FIRST FLOOR,
WILSON ROAD BALLARD ESTATE
MUMBAI 400 038 INDIA

INSPECTION CERTIFICATE

CUSTOMER :

MAGNA STAINLESS INC (DIV OF CANADIAN
SPECIALTY METALS INC.)
5775 RUE KIERAN ST-LAURENT
QUEBEC H4S 0A3

ORDER NO.

P003627

PACKING LIST NO.

IMP/102069

INSPECTION NO.

IMP/102069/8

DATE

19/05/2009

BUNDLE NO.

2051172

GRADE
T-304/304L

DESCRIPTION :

STAINLESS STEEL ROUND BARS L/C NO.: I700448 DT: 16/06/2009

Salu/30 P 09.11.30

PEELED & POLISHED

SIZE (INC)	SHAPE	TOLERANCE	LENGTH (FT)	PIECES	WEIGHT (LBS)
1 3/4	ROUND	ASTM A484	12' R/L	13	1369

CHEMICAL ANALYSIS

HEAT NO.		79354								
C	Mn	Si	S	P	Ni	Cr	Mo	Cu	N	Co
0.022	1.44	0.42	0.024	0.036	8.05	18.10	0.50	0.48	0.081	0.12

TEST RESULT

2% YIELD STRENGTH KSI	TENSILE STRENGTH KSI	ELONGATION %	REDUCTION OF AREA %	HARDNESS BHN	GRAIN SIZE
44	92	56	70	185	6


Specification :

MATERIAL CONFORMS TO ASTM A 276-06, COND.A, A 479/479M-06a, COND.A, A 193/193M-06a & A 320/320M-05a B8 CL1, A484-06b, A 182/182M-06 COND.A, ASME SA 479-98, COND.A, SA 193-98 B8 CL1, SA 320-98 B8 CL1, SA-182-98 (CHEMISTRY ONLY), NACE MR0175-2002, AMS QQ-S-763 B-06, COND.A, (EXCEPT MARKING), AMS 5639G/5647H (EXCEPT MARKING), INTERGRANULAR CORROSION TEST AS PER ASTM A 262-02a PRACTICE E, GRAIN SIZE AS PER ASTM E112-96e1, IMPROVED MACHINABILITY QUALITY, UNS-S-30400/S-30403 CERTIFICATE AS PER EN 10204-3.1.

Remarks :

MATERIAL IS FREE FROM MERCURY CONTAMINATION, FREE FROM WELD OR WELD REPAIRS, MICRO-FREE FROM CONTINUOUS MINIMUM SOLUTION ANNEALING TEMPERATURE 1050C, SOAKING TIME 1hr/inch, WATER QUENCHED, MELT SOURCE AOD, MELT & MANUFACTURED: INDIA COUNTRY OF ORIGIN: INDIA. WE CONFIRM THAT THE MATERIAL HAS BEEN TESTED AND FOUND TO BE FREE FROM RADIOACTIVE CONTAMINATION.

We hereby certified that the material described above has been tested and complies with the terms of order/contract.



WORKS INSPECTOR

Acciaierie Valbruna S.p.A.



CERTIFICATO DI COLLAUDO ABNAHMEPRUEFZEUGNIS INSPECTION CERTIFICATE CERTIFICAT DE RECEPTION EN 10204 (2005) , 3.1

36100 VICENZA (Italia) - Viale della scienza, 25 z.i.
Stab.: 39100 BOLZANO (Italia) - Via A. Volta, 4

Cliente / Besteller/Purchaser/Cliant
VALBRUNA CANADA LTD
8724 HOLTGATE CRESCENT
L5T 5Z1-MILTON, ONT L5T 5Z1-CAN

Produttore: ACCIAIERIE VALBRUNA S.P.A.
Hersteller/Hersteller/Usine productrice

Avviso di Spedizione: D-VI09017149
Lieferanzeige/Packing list/B.L.

Ordine nr: 907002333 Stock - Canada
Bestell/Your order/Commande

Certificato nr: MEST774991/2009/
Prüfung/Test/Essai

Conferma ordine nr: EI09004135
Works/Our Order/Ref nr.

Marchio di Fabbrica:
Zeichen des Lieferanten
Trade mark
Sigle de l'usine productrice



Punzone del Collaudatore:
Stempel des Werksachverständigen
Inspector's stamp/Poligon de l'essayeur



Oggetto Prove: - Annealed Cold Drawn
Prüfgegenstand/Item inspected/Finissage

Tipo di Elaborazione: E+AOD
Erzchmalungsart/Melting process/Mode d'elaboration

Specifiche:
Anforderungen / Requirements / Exigences

VAL CANADA 2 303 A,CF
ASTM A314 2008 S30300
DOD-F-24669 6 S30300
(0) SEC. II PT.A 2007 EDITION ADD. 2008A

AMS 5640 U TYPE1
ASTM A320 2008 B8F
MIL-S-862 B/1 303

ASME SA329 2007 B8F (0)
ASTM A582 2005 S30300
QQ-S-764-B/2 303

CP 05.11.30

Qualità: 303
Werkstoff/Grade/Matériau

Marca: MV188ZHS MAXIVAL
Markenbezeichnung/Brand/Numéro

Punzonatura: 303
Kleinzeichnung/Marking/Marcuando

Pos. nr. Pos. nr. Item nr. Nr. de poste	Oggetto Gegenstand Description Description du produit	Dimensioni - in Abmessungen Dimension Dimension	Tolleranza Tolleranz Allowance Tolerance	Lunghezza - in Länge Length Longueur	Colata Schmelze Heat Coulée	Pezzi Stückzahl Pieces Pièces	Peso - LB Gewicht Weight Poids	Lotto nr. Losn. Lot nr. Lot nr.
0010	Round	0,7500	484-06B	146 / 147	423312		4.744	834700760

Sono state soddisfatte tutte le condizioni richieste
Die gestellten Anforderungen sind erfüllt
The material has been furnished in accordance with the requirements
Le matériel a été trouvé conforme aux exigences

Controllo antimescolanza: OK
Verwachsungprüfung: spektroskopisch durchgeführt
Antimixing testing performed: OK
Contrôle antimélange fait: r.a.s.

Controllo visivo e dimensionale: soddisfa le esigenze:
Besichtigung und Ausmessung: ohne Beanstandung
Visual inspection and dimensional checks: satisfactory
Contrôle visuel et dimensionnel: satisfaisant

TEST ALLO STATO DI FORNITURA											Controllo visuale e dimensioni: satisfaisant	
Test on delivery condition Prüfung auf lieferbarem produkt test à l'état de fourniture Prueba sobre el material así como entregado												
TEST	Provetta/Probes Specimen/Éprouvette Long diam. Spec. Bore Diam. Dia. Wich. Diam. Thickness Lug. diam. apais mm	° F	Posiz. Saggio Position Lage Position °	Snervamento Streckgrenze Yield Stress Limite elastic Rp 0,2% k.s.i.	Snervamento Streckgrenze Yield Stress Limite elastic	Resistenza Zugfestigkeit Tensile strength Résistance à traction Rm k.s.i.	Allungamento Dehnung Elongation Allongement E 4d %	Strizione Einschnürung Reduction of area Striction RA %	Resilienza Kerbschlagarbeit Impact Value Resilience	Durezza Härte Hardness Dureza HB		
Valori richiesti 1 Anforderungen/Required values Valeurs demandées		min max		30	-	75	-	35	-	140 241		
A	12,5	68	L	70		101	43	51		239		

1) L=longitudinale/längs, T=transversale/quer, Q=Tangenziale/tangentiel

Analisi chimica

Chemische Zusammensetzung/Chemical Analysis/Analyse chimique

Colata/Heat Schmelze/Coulée	min - max 0,150	1,00	2,00	17,00 19,00	0,00	1,00	8,00 10,00	-	0,15	0,15 0,40	0,400	-	-	-	-
	C %	Si %	Mn %	Cr %	Mo %	Cu %	Ni %	Co %	P %	S %	Zr %				
423312	0,035	0,45	1,96	17,68	0,35	0,60	8,50	0,109	0,03	0,33	0,004				

Produced without class I-II Ozone depleting substances.
Solution heat treated free from continuous carbide network.
Annealing temperature: 1940°F for 0,5h/water.
Micro and macro etch test: OK
Material is DFARS Compliant

Melted and manufactured in Italy No welding or weld repair Material free from Mercury contamination
We declare that the finished product is checked for radioactive contamination through Portal System when it leaves the production plant.
The Quality Management System is Certified acc. Pressure Equipment Directive [97/23/EC] Annex 1, s., 4.3 by TUEV and LLOYD'S

Vicenza, 29/07/09
VCO010
(Mod. MCER)

Il collaudatore di stabilimento / der Werkssachverständiger / Works inspector / L'agent d'usine

M. Rizzotto

Pagina - 1 di 1

P006632-423312

PO05349 - 829393

NOTICE OF SHIPMENT/
PACKING LIST



CERTIFICATE OF TEST

AL 6168-3 908

CUST. ORD. NO. & DATE 05349		CUST. CODE 06/05/09 574738		ACCEPTING MILL VANDERGRIFF, PA.		SHIPPER NO. 427038		PRODUCT CODE 13020102060000		MILL ORDER NUMBER 30-069-202		DATE SHIPPED 08/06/09	
FORMS DISTRIBUTION SOLD TO 1 SHIP TO 1 SPEC		REPEAT ORDER 94045-0		DO HATE 28		GOVT CONTRACT 7219.14.0000		MATERIAL 1121 VANDERGRIFF		SHIPPING LOCATION PA		INVOICE 668451	
MAGNA STAINLESS 5775 KIERAN ST. QUEBEC CANADA H4S 0A3 SAINT-LAURENT				PRIME SEC. DSO DSO 20		COILEX 1450 GRAHAM BELL QUEBEC ZIP CODE: J4B 6H5 BOUCHERVILLE CN		SHIP TO					

09/11/30

GRADE AND SPECIFICATIONS
ALLEGHENY STAINLESS STEEL TYPE 304 SHEET C R COILS ANNEALED 2B FIN 3 EDGE (ASTM-A-240-09A) (ASTM-A-370-09)

ITEM	PCS	DIMENSIONS W/G/L	HEAT #	COIL #	TEST #	GROSS	TARE	NET	THEO	TAG #/	CD	SKID #
001	1	48./075/2021.	829393	07109N172	8763075	21130	50	21080		651551		
		C CUST IDENTITY 304B075X48										
		1 SKID				21130	50	21080				

ORDER REMARKS: EXW - EXCEPT VAT AND OTHER APPLICABLE LOCAL TAXES WHICH ARE THE RESPONSIBILITY OF THE BUYER

TYPE HEAT/TEST	--C---	--MN--	--P---	--S---	--SI--	--CR--	--NI--	--N---
HEAT 829393	.05	.97	.033	.0005	.44	18.2	8.1	.07

ITEM TEST NO	YIELD PSI *	TENSILE PSI	% ELONG IN 2"	% R/A	HARDNESS 83.HRBW	BEND NR	GRAIN SIZE NR	HARDENABILITY NR
001 8763075	T 48000.	92500.	55.	NR	84.HRBW	NR	NR	NR

* Y.S. BY 0.2% OFFSET METHOD

NR = DATA NOT REQUIRED
GRADE VERIFICATION WAS CARRIED OUT SPECTROSCOPICALLY

PAGE 01 - CONTINUED ON PAGE 02

08/06/09 11:37:26

CONSIGNEE- Please Note- This consignment was turned over to carrier in first class condition, being correctly loaded, at which time our responsibility for loss or damage in shipment ceased. For your protection please examine shipment as it arrives. If any shortage or damage is discovered, have a full description made by transportation agent on waybill before signing.

Material Safety Data Sheets for this product have been supplied to your Purchasing Department. For an additional copy phone 724-226-6577. CAUTION: Processing that makes fumes, dust, or solutions may cause lung disease. See Material Safety Data Sheets for further information.

WARNING

Les fiches d'information-sécurité de ce produit ont été fournies à votre département chargé des achats. Pour obtenir des exemplaires supplémentaires veuillez téléphoner au numéro suivant 724-226-6577. Attention: les traitements entraînant la production de vapeurs, poussières, ou solutions peuvent être cause de maladies pulmonaires. Pour plus de renseignements se référer aux fiches d'information-sécurité.

The above is a true copy of data on file. The material and test results conform to the sales contract and specification(s) as set forth in Allegheny Ludlum's Order Acknowledgement.

Tracy McFarland
Director, Corporate Quality Assurance

NOTICE OF SHIPMENT/
PACKING LIST



CERTIFICATE OF TEST

AL 6168-3 908

CUST. ORD. NO. & DATE		CUST. CODE		ACCEPTING MILL		SHIPPER NO.		PRODUCT CODE		MILL ORDER NUMBER		DATE SHIPPED	
05349		06/05/09 574738		VANDERGRIFF, PA.		427038		13020102060000		30-069-202		08/06/09	
FORMS DISTRIBUTION		REPEAT ORDER		DO RATE		PRI-ORITY		GOVT CONTRACT		MAT'L.		SHIPPING LOCATION	
SOLD TO		94045-0		28		7219.14.0000		1121 VANDERGRIFF		PA		668451	
MAGNA STAINLESS		DSO		DSO		COILEX		1450 GRAHAM BELL		QUEBEC		ZIP CODE: J4B 6H5	
5775 KIERAN ST.		20				BOUCHERVILLE		CN					
QUEBEC CANADA H4S 0A3													
SAINT-LAURENT													

GRADE AND SPECIFICATIONS CARRIER - CUSTOMER TRUCK
ALLEGHENY STAINLESS STEEL TYPE 304 SHEET C R COILS ANNEALED 2B FIN 3 EDGE (ASTM-A-240-09A) (ASTM-A-370-09) (ASTM-A-480-09)

THIS CERTIFICATE OF TEST SHALL NOT BE REPRODUCED EXCEPT IN FULL WITHOUT THE WRITTEN APPROVAL OF THE COMPANY. THE RECORDING OF FALSE, FICTITIOUS OR FRAUDULENT STATEMENTS OR ENTRIES ON THE CERTIFICATE MAY BE PUNISHED AS A FELONY UNDER FEDERAL LAW. MATERIAL WAS MANUFACTURED IN ACCORDANCE WITH THE ALC QUALITY MANUAL REVISION 17 DATED 05/12/2008. ALC HOLDS SEVERAL QUALITY CERTIFICATIONS THAT INCLUDE ISO-9001. DIN EN 10204:2005 - 3.1. ALLEGHENY LUDLUM IS APPROVED AS A MANUFACTURER ACCORDING TO AD-MERK BLATT WO/TRD100 AND THE PRESSURE EQUIPMENT DIRECTIVE PED 97/23/EC. TESTING WAS PERFORMED AT ALC NADCAP AND ISO/IEC 17025 APPROVED LABORATORIES LOCATED AT NATRONA HEIGHTS, BRACKENRIDGE, LATROBE, AND MIDLAND, PA FACILITIES OR A NADCAP AND ISO/IEC 17025 ACCREDITED LABORATORY.

ALLEGHENY LUDLUM PERFORMS CHEMICAL ANALYSIS BY THE FOLLOWING TECHNIQUES:
C,S BY COMBUSTION/INFRARED
N,O,H BY INERT FUSION/THERMAL CONDUCTIVITY
MN,P,SI,CR,NI,MO,CU,CB,CO,V BY WDXRF
B BY OES
AL AND TI (>=0.10%) BY WDXRF, OTHERWISE BY OES
PB,BI,AG BY GFAA

FOR ACCESS TO ONLINE CERTIFICATES OF TEST
REGISTER AT WWW.ALCEXTRA.COM

PAGE 02 - FINAL PAGE.

08/06/09 11:37:26

CONSIGNEE: Please Note--This consignment was turned over to carrier in first class condition, being correctly loaded, at which time our responsibility for loss or damage in shipment ceased. For your protection please examine shipment as it arrives. If any shortage or damage is discovered, have a full description made by transportation agent on waybill before signing.

Material Safety Data Sheets for this product have been supplied to your Purchasing Department. For an additional copy phone 724-226-6577. CAUTION: Processing that makes fumes, dust, or solutions may cause lung disease. See Material Safety Data Sheets for further information.

WARNING

Les fiches d'information-sécurité de ce produit ont été fournies à votre département chargé des achats. Pour obtenir des exemplaires supplémentaires veuillez téléphoner au numéro suivant 724-226-6577. Attention: les traitements entraînant la production de vapeurs, poussières, ou solutions peuvent être cause de maladies pulmonaires. Pour plus de renseignements se référer aux fiches d'information-sécurité.

The above is a true copy of data on file. The material and test results conform to the sales contract and specification(s) as set forth in Allegheny Ludlum's Order Acknowledgement.

Tracy McFarland
Director, Corporate Quality Assurance

P005349_829394

NOTICE OF SHIPMENT/
PACKING LIST



CERTIFICATE OF TEST

AL 6168-3 908

CUST. ORD. NO. & DATE 05349		CUST. CODE 06/05/09 574738		ACCEPTING MILL VANDERGRIFF, PA.	SHIPPER NO. 427038	PRODUCT CODE 13020102060000	MILL ORDER NUMBER 30-069-187	DATE SHIPPED 08/06/09
FORMS DISTRIBUTION SOLD TO MAGNA STAINLESS 5775 KIERAN ST. QUEBEC CANADA H4S 0A3 SAINT-LAURENT		REPEAT ORDER 94045-0		DO RATE 28	PRI-ORITY 7219.14.0000	MATL. 1121 VANDERGRIFF	SHIPPING LOCATION PA	INVOICE 668450
SOLD TO		PRIME SEC. DSO DSO		COILEX 1450 GRAHAM BELL QUEBEC ZIP CODE: J4B 6H5 BOUCHERVILLE CN		SHIP TO		

807/14/30

GRADE AND SPECIFICATIONS
ALLEGHENY STAINLESS STEEL TYPE 304 SHEET C R COILS ANNEALED 2B FIN 3 EDGE (ASTM-A-480-09) (ASTM-A-240-09A) (ASTM-A-370-09)

ITEM	PCS	DIMENSIONS W/G/L	HEAT #	COIL #	TEST #	GROSS	TARE	NET	THEO	TAG #/	CD	SKID #
001	1	48./060/2149.	829394	07099N793	8763049	20670	50	20620		651358		
C CUST IDENTITY 304B060X48												
1 SKID												
						20670	50	20620				

ORDER REMARKS: EXW - EXCEPT VAT AND OTHER APPLICABLE LOCAL TAXES WHICH ARE THE RESPONSIBILITY OF THE BUYER

TYPE	HEAT/TEST	--C--	--MN--	--P--	--S--	--SI--	--CR--	--NI--	--N--
HEAT	829394	.06	.95	.034	.0003	.47	18.2	8.1	.06

ITEM	TEST NO	YIELD PSI *	TENSILE PSI	% ELONG IN 2"	% R/A	HARDNESS 83.HRBW	BEND NR	GRAIN SIZE NR	HARDENABILITY NR
001	8763049	T 45500.	94000.	58.	NR	83.HRBW	NR	NR	NR

* Y.S. BY 0.2% OFFSET METHOD

NR = DATA NOT REQUIRED
GRADE VERIFICATION WAS CARRIED OUT SPECTROSCOPICALLY

PAGE 01 - CONTINUED ON PAGE 02

08/06/09 11:37:26

CONSIGNEE - Please Note - This consignment was turned over to carrier in first class condition, being correctly loaded, at which time our responsibility for loss or damage in shipment ceased. For your protection please examine shipment as it arrives. If any shortage or damage is discovered, have a full description made by transportation agent on waybill before signing.

Material Safety Data Sheets for this product have been supplied to your Purchasing Department. For an additional copy phone 724-226-6577. CAUTION: Processing that makes fumes, dust or solutions may cause lung disease. See Material Safety Data Sheets for further information.

WARNING
Les fiches d'information-sécurité de ce produit ont été fournies à votre département chargé des achats. Pour obtenir des exemplaires supplémentaires veuillez téléphoner au numéro suivant 724-226-6577. Attention: les traitements entraînant la production de vapeurs, poussières, ou solutions peuvent être cause de maladies pulmonaires. Pour plus de renseignements se référer aux fiches d'information-sécurité.

The above is a true copy of data on file. The material and test results conform to the sales contract and specification(s) as set forth in Allegheny Ludlum's Order Acknowledgement.

Tracy McFarland
Director, Corporate Quality Assurance

NOTICE OF SHIPMENT/
PACKING LIST



CERTIFICATE OF TEST

AL 6168-3 908

CUST. ORD. NO. & DATE		CUST. CODE		ACCEPTING MILL		SHIPPER NO.		PRODUCT CODE		MILL ORDER NUMBER		DATE SHIPPED	
05349		06/05/09		574738		VANDERGRIFF, PA.		427038		13020102060000		30-069-187	
FORMS DISTRIBUTION		REPEAT ORDER		DO RATE		PRIL ORITY		GOVT CONTRACT		MATL.		SHIPPING LOCATION	
SOLD TO		1		SHIP TO		SPEC		94045-0		28		7219.14.0000	
SOLD TO		MAGNA STAINLESS		5775 KIERAN ST.		QUEBEC CANADA H4S 0A3		SAINT-LAURENT		PRIME SEC.		DSO DSO	
COILEX		1450 GRAHAM BELL		QUEBEC		ZIP CODE: J4B 6H5		BOUCHERVILLE		CN		SHIP TO	
1121		VANDERGRIFF		PA		668450							

GRADE AND SPECIFICATIONS
ALLEGHENY STAINLESS STEEL TYPE 304 SHEET C R COILS ANNEALED 2B FIN 3 EDGE (ASTM-A-240-09A) (ASTM-A-370-09) (ASTM-A-480-09)

CARRIER - CUSTOMER TRUCK

THIS CERTIFICATE OF TEST SHALL NOT BE REPRODUCED EXCEPT IN FULL WITHOUT THE WRITTEN APPROVAL OF THE COMPANY. THE RECORDING OF FALSE, FICTITIOUS OR FRAUDULENT STATEMENTS OR ENTRIES ON THE CERTIFICATE MAY BE PUNISHED AS A FELONY UNDER FEDERAL LAW. MATERIAL WAS MANUFACTURED IN ACCORDANCE WITH THE ALC QUALITY MANUAL REVISION 17 DATED 05/12/2008. ALC HOLDS SEVERAL QUALITY CERTIFICATIONS THAT INCLUDE ISO-9001. DIN EN 10204:2005 - 3.1. ALLEGHENY LUDLUM IS APPROVED AS A MANUFACTURER ACCORDING TO AD-MERK BLATT WO/TRD100 AND THE PRESSURE EQUIPMENT DIRECTIVE PED 97/23/EC. TESTING WAS PERFORMED AT ALC NADCAP AND ISO/IEC 17025 APPROVED LABORATORIES LOCATED AT NATRONA HEIGHTS, BRACKENRIDGE, LATROBE, AND MIDLAND, PA FACILITIES OR A NADCAP AND ISO/IEC 17025 ACCREDITED LABORATORY.

ALLEGHENY LUDLUM PERFORMS CHEMICAL ANALYSIS BY THE FOLLOWING TECHNIQUES:
C, S BY COMBUSTION/INFRARED
N, O, H BY INERT FUSION/THERMAL CONDUCTIVITY
MN, P, SI, CR, NI, MO, CU, CB, CO, V BY WDXRF
B BY OES
AL AND TI (>=0.10%) BY WDXRF, OTHERWISE BY OES
PB, BI, AG BY GFAA

<<<<<<<< FOR ACCESS TO ONLINE CERTIFICATES OF TEST >>>>>>>>
<<<<<<<< REGISTER AT WWW.ALCEXTRA.COM >>>>>>>>

PAGE 02 - FINAL PAGE.

08/06/09 11:37:26

CONSIGNEE - Please Note - This consignment was turned over to carrier in first class condition, being correctly loaded, at which time our responsibility for loss or damage in shipment ceased. For your protection please examine shipment as it arrives. If any shortage or damage is discovered, have a full description made by transportation agent on waybill before signing.

Material Safety Data Sheets for this product have been supplied to your Purchasing Department. For an additional copy phone 724-225-6577. CAUTION: Processing that makes fumes, dust, or solutions may cause lung disease. See Material Safety Data Sheets for further information.

WARNING

Les fiches d'information-sécurité de ce produit ont été fournies à votre département chargé des achats. Pour obtenir des exemplaires supplémentaires veuillez téléphoner au numéro suivant 724-225-6577. Attention: les traitements entraînant la production de vapeurs, poussières, ou solutions peuvent être cause de maladies pulmonaires. Pour plus de renseignements se référer aux fiches d'information-sécurité.

The above is a true copy of data on file. The material and test results conform to the sales contract and specification(s) as set forth in Allegheny Ludlum's Order Acknowledgement.

Tracy McFarland
Director, Corporate Quality Assurance



Dart Aerospace Ltd.
1270 Aberdeen Street
Hawkesbury, ON K6A 1K7
Tel: 613 632 9577
Fax: 613 632 1053

PURCHASE ORDER

Purchase Order ID **PO10809**

Purchase Order Date 11/20/09

PO Print Date 11/20/09

Page Number 1 of 2

Order From :

VC-MAG002

MAGNA STAINLESS
5775 RUE KIERAN
ST LAURENT, QC H4S 0A3
CA

FAKED
C6871130

Contact Name

Vendor Phone

800 363 6646

Vendor Fax

514 339 1105

Vendor Account Nbr

Buyer

Chantal Lavoie

Requisition Nbr

Tax Resale Nbr

10127-2607

Terms

Net 30

Currency

CAD

FOB

Ship To :

DART AEROSPACE LTD 1270 ABERDEEN
HAWKESBURY, ON K6A 1K7
CANADA

Line Nbr	Reference Revision ID	Description/ Mfg ID	Req Date/ Taxable	Req Qty/ Unit of Measure	Ship Method	Unit Price	Extended Price
Vendor Part Number							
1	M304S14GA	304SS sheet .080	11/24/09 Yes	✓ 160.00 sf	Yours ppd	\$7.5000	\$1,200.00
		Special Inst:	MATERIAL: AISI 304/316 SS SHEET ANNEALED 2B FINISH ASPER MIL-S-5059 OR AMS 5513 (304) OR AMS 5524 (316) OR ASTM A240 OR ASME SA240				
2	M304S16GA	304/316 Sheet .063	11/24/09 Yes	✓ 320.00 sf	Yours ppd	\$5.3125	\$1,700.00
		Special Inst:	AS ABOVE				
3	M304R1.750	304 ROUND BAR 1.750	11/24/09 Yes	12.00 f	Yours ppd ✓ N22 12-12 C224/10	\$20.5830	\$247.00
		Special Inst:	MATERIAL: AISI 304/316 SS ROUND BAR AS PER ASTM A276 (NOTE: 303 NOT ACCEPTABLE)				

No substitution or deviation without
consent.
Certificate of Conformity or Material
Certification required when applicable

Change Nbr: 1

Change Date: 11/20/09



Dart Aerospace Ltd.
1270 Aberdeen Street
Hawkesbury, ON K6A 1K7
Tel: 613 632 9577
Fax: 613 632 1053

PURCHASE ORDER

Purchase Order ID PO10809

Purchase Order Date 11/20/09

PO Print Date 11/20/09

Page Number 2 of 2

Order From :

VC-MAG002

MAGNA STAINLESS
5775 RUE KIERAN
ST LAURENT, QC H4S 0A3
CA

Contact Name

Buyer

Chantal Lavoie

Vendor Phone

800 363 6646

Requisition Nbr

Vendor Fax

514 339 1105

Tax Resale Nbr

10127-2607

Vendor Account Nbr

Terms

Net 30

Currency

CAD

FOB

4

M303R0.750

303 Round Bar 0.750

11/24/09

Yes

12.00 Yours ppd

\$3.8333

\$46.00

f Nrc 12-12 / 08/11/27

Special Inst: MATERIAL: AISI 303 ROUND BAR
(NOTE: AISI 304/316 NOT ACCEPTABLE)

PO Total:

\$3,193.00

MATERIAL CERTIFICATION
REQ'D UPON DELIVERY

U C2

No substitution or deviation without
consent.
Certificate of Conformity or Material
Certification required when applicable

Change Nbr: 1

Change Date: 11/20/09